NOTICE: These documents are instruments of professional service and information contained therein is incomplete unless used in conjunction with Lantz-Boggio's interpretations, diesicons, observations and administrations. Use or reproduction of these documents in whole or part without Lantz- Boggio's consent is in violation of common law, copyrights, statutory and other reserved rights. Refer to Act 17 U.S.C., par. 511 (1991), which preempts state and local public records act. Refer to Act 17 U.S.C., par 301 (1991).



24 WALL ASSEMBLY - WT513 WT513

SCALE: 1 1/2" = 1'-0"

NON-RATED, NON-LOAD BEARING CONTRUCTION



18 WALL ASSEMBLY - WT414 WT414

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO U905



12 WALL ASSEMBLY - WT405 WT405

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905



6 WALL ASSEMBLY - WT311 WT311

SCALE: 1 1/2" = 1'-0"



23 WALL ASSEMBLY - WT512 WT512

SCALE: 1 1/2" = 1'-0"

NON-RATED, NON-LOAD BEARING CONTRUCTION



17 WALL ASSEMBLY - WT413 WT413

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO U905



11 WALL ASSEMBLY - WT404 WT404

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905



5 WALL ASSEMBLY - WT310 WT310

SCALE: 1 1/2" = 1'-0"



28 WALL ASSEMBLY - WT517 WT517

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION NON-LOAD BEARING: U.L. DESIGN NO. U419



22 WALL ASSEMBLY - WT511 WT511

SCALE: 1 1/2" = 1'-0"

ONE HOUR RATED CONSTRUCTION U.L. DESIGN NO. U423 NON-LOAD BEARING: U.L. DESIGN NO. U419



16 WALL ASSEMBLY - WT412 WT412

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO U905



10 WALL ASSEMBLY - WT403 WT403

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905



4 WALL ASSEMBLY - WT304 WT304

SCALE: 1 1/2" = 1'-0"



27 WALL ASSEMBLY - WT516 WT516

SCALE: 1 1/2" = 1'-0"

ONE HOUR RATED CONSTRUCTION U.L. DESIGN NO. U469



21 WALL ASSEMBLY - WT510 WT510

SCALE: 1 1/2" = 1'-0"

ONE HOUR RATED CONSTRUCTION U.L. DESIGN NO. U423 NON-LOAD BEARING: U.L. DESIGN NO. U419



15 WALL ASSEMBLY - WT411 WT411

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO U905



9 WALL ASSEMBLY - WT402 WT402

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905



3 WALL ASSEMBLY - WT303 WT303

SCALE: 1 1/2" = 1'-0"



26 WALL ASSEMBLY - WT515 WT515

SCALE: 1 1/2" = 1'-0"

NON-RATED, NON-LOAD BEARING CONTRUCTION



20 WALL ASSEMBLY - WT502 WT502

SCALE: 1 1/2" = 1'-0"

ONE HOUR RATED CONSTRUCTION LOAD BEARING: U.L. DESIGN NO. U423 NON-LOAD BEARING: U.L. DESIGN NO. U419



14 WALL ASSEMBLY - WT410 WT410

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO U905



8 WALL ASSEMBLY - WT401 WT401

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905



2 WALL ASSEMBLY - WT302 WT302

SCALE: 1 1/2" = 1'-0"

25 WALL ASSEMBLY - WT514 WT514

SCALE: 1 1/2" = 1'-0"

NON-RATED, NON-LOAD BEARING CONTRUCTION

19 WALL ASSEMBLY - WT501 WT501

SCALE: 1 1/2" = 1'-0"

ONE HOUR RATED CONSTRUCTION LOAD BEARING: U.L. DESIGN NO. U423 NON-LOAD BEARING: U.L. DESIGN NO. U419

13 WALL ASSEMBLY - WT406 WT406

SCALE: 1 1/2" = 1'-0"

TWO HOUR RATED CONSTRUCTION U.L. DESIGN NO. U905

7 WALL ASSEMBLY - WT312 WT312

SCALE: 1 1/2" = 1'-0"

1 WALL ASSEMBLY - WT301 WT301

SCALE: 1 1/2" = 1'-0"

Lantz-Boggio Architects, P.C.
5650 DTC Pkwy. I Suite 200 I Englewood I CO 80111
Ph: 303.773.0436 I Fax: 303.773.8709

PIONEER MANOR

Gillette/ Wyoming

2012.3000

Owner:
Campbell County Memorial Hospital
501 South Burma Ave.
Gillette, WY 82716
P.O. Box 3011
Gillette, WY 82717
Ph. 307.688.1000

Civil Engineer:
PCA Engineering, Inc.
P.O. Box 2185
4506 Wigwam Blvd.
Gillette, WY 82718
Ph. 307..687.0600
Contact: Clark Sanders

Structural Engineer:
Jirsa Hedrick & Associates
7000 E. Belleview Ave. Suite 250
Greenwood Village, CO 80111
Ph. 303.839.1963
Contact: Steve Jirsa

Mechanical/Plumbing Engineer:
Given & Associates, Inc.
735 S. Xenon Court, Suite 201
Lakewood, CO 80228
Ph. 303.716.1270
Contact: Jeff Given

Electrical Engineer:
Alber Engineering
5173 Oak Hollow Drive
Morrison, CO 80465
Ph. 303.736.2739
Contact: Jerry Alber

Interior Design:
LBA Interiors
5650 DTC Parkway, Suite 100
Englewood, CO 80111
Ph. 303.773.0436
Contact: Mary Lou Parham

Food Service:
United Restaurant Supply, Inc.
725 Clark Place
Colorado Springs, CO 80915
Ph. 719.574.3220
Contact: Jon Bluhm

Landscape Architect:
Four Front Design, Inc.
517 7th Street
Rapid City, SD 57701
Ph. 605.342.9470
Contact: Eirik Heikes

No.	Date	Description
1	05/17/2013	Design Development
2	10/31/2013	Construction Documents

Seal:

Key Plan:

LBA Project Number: 2012.3000

Date: October 31, 2013

WALL ASSEMBLIES

A-600

DRAWN BY: Author

2013 Copyright ©