

NOTICE: These documents are instruments of professional service and information contained therein is incomplete unless used in conjunction with Lantz-Boggio's interpretations, decisions, observations and administrative. Use or reproduction of these documents in whole or part without Lantz-Boggio's consent is in violation of common law, copyrights, statutory and other reserved rights. Refer to Act 17 U.S.C., par. 511 (1991), which prohibits state and local public records act. Refer to Act 17 U.S.C., par. 301 (1991).

DOOR SCHEDULE - 2ND FLOOR																
DOOR NO.	ROOM NAME	DOOR SIZE			DOORS			FRAMES			DETAILS			DOOR/FIRE RATING	HARDWARE SET	REMARKS
		WIDTH	HEIGHT	THICKNESS	DOOR TYPE	MATERIAL	FINISH	FRAME TYPE	MATERIAL	FINISH	JAMB	HEAD	THRESHOLD			
202	REHABILITATION THERAPY GYM	8'-0"	6'-8"	1 3/4"	(2) A	WD/GL	P	3	ST	P	1/A-902	2/A-902	-	-	TEMPERED GLAZING	
202B	STORAGE	5'-0"	7'-0"	1 3/4"	(2) B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
202C	STORAGE	5'-0"	7'-0"	1 3/4"	(2) B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
202D	STORAGE	5'-0"	7'-0"	1 3/4"	(2) B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
202E	STORAGE	5'-0"	7'-0"	1 3/4"	(2) B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
203	MASSAGE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
204	CORRIDOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
205	STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
206	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
207	MDS/ ACT DIRECTOR OFFICE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
208	SPEECH THERAPY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
209	OCCUPATIONAL THERAPY SUITE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
209A	O.T. BATHROOM	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
211	OPC CONFERENCE ROOM	6'-0"	6'-8"	1 3/4"	(2) D	WD/GL	P	3	ST	P	1/A-902	2/A-902	-	-	TEMPERED GLAZING	
212	ARTS & CRAFTS	6'-0"	6'-8"	1 3/4"	(2) A	WD/GL	P	3	ST	P	1/A-902	2/A-902	-	-		
212A	STORAGE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
213	SPA	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
213A	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
213B	BATHING 1	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
213C	BATHING 2	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
213D	STORAGE	2'-6"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
214	WOMEN'S RR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
215	MEN'S RR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
216	KILN STORAGE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
217	CLINIC WAITING	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
219	DENTAL EXAM	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
220	EXAM	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
221	DOCTOR'S OFFICE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
222	EXAM	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
223	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
225	EXTERIOR (DINING ROOM)	6'-0"	7'-0"	1 3/4"	(2) A	FG	S	1	ST	P	4/A-903	5/A-903	1/A-903	-	TEMPERED/INSULATED GLAZING	
226	RESIDENT LAUNDRY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
227	SERVERY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
228	ROOF ACCESS	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
230A	ACTIVITY STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	11/A-902	12/A-902	-	-		
230B	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	11/A-902	12/A-902	-	-		
230C	STORAGE	2'-6"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
232	DIRTY UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
233	JANITOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
234	HSKP	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
235	CLEAN UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
236A	STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
236B	STORAGE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
236C	LIFT STORAGE	3'-8"	6'-8"	1 3/4"	B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
237	CORRIDOR	7'-4"	6'-8"	1 3/4"	(2) C	SC/W	P	4	HM	P	5/A-902	6/A-902	-	90 MIN.	VISION LITE & MAG HOLD OPENS	
237C	OXYGEN	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
237E	ROOF ACCESS	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
237F	LINEN	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
238	JANITOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
239	EXTERIOR (SUNROOM)	3'-0"	7'-0"	1 3/4"	B	SC/W	P	6	HM	P	2 & 4/A-903	5/A-903	1/A-903	-	EXTERIOR VISION LITE & MAG HOLD OPENS	
241	CORRIDOR	8'-0"	6'-8"	1 3/4"	(2) C	SC/W	P	4	HM	P	5/A-902	6/A-902	-	20 MIN.		
242B	TOILET	3'-0"	6'-8"	1 3/4"	B	SC/W	P	2	HM	P	1/A-902	2/A-902	-	-		
242C	MED PREP	3'-0"	6'-8"	1 3/4"	B	SC/W	P	2	HM	P	1/A-902	2/A-902	-	-		
243	OFFICE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
244	ELECTRICAL	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
244A	IT ROOM	3'-0"	6'-8"	1 3/4"	B	SC/W	P	2	HM	P	1/A-902	2/A-902	-	-		
245	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
246	EXTERIOR (DINING ROOM)	6'-0"	7'-0"	1 3/4"	(2) A	FG	S	1	ST	P	4/A-903	5/A-903	1/A-903	-	TEMPERED/INSULATED GLAZING	
248A	ACTIVITY STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	11/A-902	12/A-902	-	-		
248C	STORAGE	2'-6"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
250	DIRTY UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
251	JANITOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
252	HSKP	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
253	CLEAN UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
254	CORRIDOR	7'-4"	6'-8"	1 3/4"	(2) C	SC/W	P	4	HM	P	5/A-902	6/A-902	-	90 MIN.	VISION LITE & MAG HOLD OPENS	
254C	OXYGEN	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
254E	ROOF ACCESS	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
254F	LINEN	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
255A	STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
255B	LIFT STORAGE	3'-8"	6'-8"	1 3/4"	B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
256	JANITOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
257	EXTERIOR (SUNROOM)	3'-0"	7'-2"	1 3/4"	A	SC/W	P	6	HM	P	2 & 4/A-903	5/A-903	1/A-903	-	TEMPERED/INSULATED GLAZING	
261	RESIDENT LAUNDRY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
262	SERVERY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
263	ROOF ACCESS	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
264	EXTERIOR (DINING ROOM)	6'-0"	7'-0"	1 3/4"	(2) A	FG	S	1	ST	P	4/A-903	5/A-903	1/A-903	-	TEMPERED/INSULATED GLAZING	
266A	ACTIVITY STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	11/A-902	12/A-902	-	-		
266B	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	11/A-902	12/A-902	-	-		
266C	STORAGE	2'-6"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
268	DIRTY UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
269	JANITOR	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
270	HSKP	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
271	CLEAN UTILITY	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
272A	STORAGE	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
272B	STORAGE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	60 MIN.		
272C	LIFT STORAGE	3'-8"	6'-8"	1 3/4"	B	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
273	CORRIDOR	7'-4"	6'-8"	1 3/4"	(2) C	SC/W	P	4	HM	P	5/A-902	6/A-902	-	90 MIN.	VISION LITE & MAG HOLD OPENS	
273C	OXYGEN	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
273E	ROOF ACCESS	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	90 MIN.		
273F	LINEN	6'-0"	6'-8"	1 3/4"	(2) D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
275	EXTERIOR (SUNROOM)	3'-0"	7'-2"	1 3/4"	A	FG	S	1	ST	P	2 & 4/A-903	5/A-903	1/A-903	-	TEMPERED/INSULATED GLAZING	
276	MED PREP	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
277	CORRIDOR	8'-0"	6'-8"	1 3/4"	(2) C	SC/W	P	4	HM	P	5/A-902	6/A-902	-	20 MIN.	VISION LITE & MAG HOLD OPENS	
278B	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
279	OFFICE	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
280	ELECTRICAL	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	45 MIN.		
280A	IT ROOM	3'-0"	6'-8"	1 3/4"	B	SC/W	P	2	HM	P	3/A-902	4/A-902	-	-		
281	TOILET	3'-0"	6'-8"	1 3/4"	D	SC/W	P	3	ST	P	1/A-902	2/A-902	-	-		
283	EXTERIOR (DINING ROOM)	6'-0"	7'-0													